


CASEWORK SCHEDULE										CASEWORK NOTES
CASEWORK NUMBER	MANUFACTURER'S SERIES	S I Z E			CASEWORK TYPE	ADJ. SHELF	DOORS	DRWRS	REMARKS	<div>CASEWORK "MANUFACTURERS NUMBERS" ARE BASED ON MOPEC INC. EQUIPMENT & SUPPLIES. REFER TO QUOTATION NO. QWV27072.10G FOR DETAILS. ALL FINISHES SHALL BE A.I.S.I. 304 STAINLESS STEEL CONSTRUCTION 18 GAUGE. GENERAL CONTRACTOR TO VERIFY SIZE OF COUNTERTOPS. ALL CABINET JOINTS ARE TO BE FLUSH WITHOUT OVERLAPS. FIXTURES AND CONNECTIONS BY PLUMBING CONTRACTOR. COUNTER TOPS SHALL HAVE 4" H BACK SPLASH, FIELD JOINT & MARINE EDGED. PROVIDE REAR, FRONT & CORNER FILLERS (SIZE VARIES) AS REQUIRED. ALL CASEWORK IS TO HAVE SOLID BACKS. ALL DIMENSIONS SHOWN ON CASEWORK SCHEDULE ARE NOMINAL DIMENSIONS. VAR. = VARIES REMARK NOTES: 1. ALL WALL CABINETS SHALL HAVE STAINLESS STEEL TOPS SLOPED AT A 25° ANGLE TO REDUCE DUST COLLECTION. 2. 20"x 17"x 10" DEEP SINK WITH HOT COLD WATER FIXTURE WITH WRIST BLADE HANDLES – PMISC005 & ONE HAND SPRAY – MB012. 3. SEE MOPEC DRAWING LE121-30MOD & LE121-36MOD FOR DRAWER DETAILS & SIZES</div>
		W"	H"	D"						
B1	LE126-18MOD	18"	36"	23"	DRAWERS	–	–	4	NOTE 3	
B2	LE121-36MOD	36"	36"	23"	DRAWERS	–	–	4	NOTE 3	
B3	LE121-30MOD	30"	36"	23"	DRAWERS	–	–	4	NOTE 3	
B4	LE181-36MOD	36"	36"	23"	SINK CABINET	–	2	–	NOTE 2	
W1	LA218-2416MOD	24"	30"	16"	HINGED DOOR LH	2	1	–	NOTE 1	
W2	LA203-3016MOD	30"	30"	16"	HINGED DOOR	2	2	–	NOTE 1	
W3	LA218-3616MOD	36"	30"	16"	HINGED DOOR	2	2	–	NOTE 1	
F1	LF510-01				REAR FILLER	–	–	–	VAR.	
F2	LF510-02				FRONT FILLER	–	–	–	VAR.	
F3	LF510-03				CORNER FILLER	–	–	–	VAR.	

NOTE: ALL PLAN & ELEVATION DETAILS ARE BASED ON EQUIPMENT AND CASEWORK MADE BY MOPEC CORPORATION. THESE ITEMS ARE PROVIDED FOR CLARIFICATION TO EQUIPMENT LAYOUT AND EQUIPMENT REQUIREMENTS REQUIRED BY THIS CONTRACT. MOPEC EQUIPMENT OR APPROVED EQUAL SHALL BE INSTALLED UNDER THIS CONTRACT.

ROOM FINISH SCHEDULE						
RM.NO.	ROOM NAME	FLOOR FINISH	BASE	WALLS	CEILING	NOTES
1B108	HISTOLOGY	-	-	PT-1	-	PATCH & PAINT PER NOTE 4.
1B108a	SLIDE & BLOCK	-	-	-	PT-1	PATCH & PAINT TO MATCH EXISTING FINISH
1B108b	GROSSING RM.	VSF	RB-1	PT-1	CT-1	SEE NOTES 1, 2, 3, 4
1B109	PROSTHETICS	-	RB-1	PT-1	-	SEE NOTES 3, 4, 5, 6
1B109A	FROZEN SECTION	VSF	RB-1	PT-1	CT-1	SEE NOTES 1, 2, 3, 4
<div>FINISH LEGEND</div> <div>CEILING TILE (CT)RESILIENT BASE (RB) VINYL SHEET FLOORING (VSF)PAINT (PT)</div>						
<div>FINISH NOTES:</div> <div>1. CEILING TILE (CT) SHALL BE LAY IN TYPE, WASHABLE, MOLD, BACTERIA & MILDEW RESISTANT. 2. VINYL SHEET FLOORING (VSF) SHALL BE MANNINGTON HOMOGENEOUS BIOSPEC MD, ANTI-MICROBIAL RESISTANT PROPERTIES WITH QUANTUM GUARD HP OR APPROVED EQUAL. 3. RESILIENT BASE (RB) SHALL BE 4" HIGH JOHNSONITE CONTINUOUS RUBBER BASE, OR APPROVED EQUAL. 4. PAINT (PT) 1 COAT SHERWIN WILLIAMS MULTI-PURPOSE LATEX PRIMER, 2 COATS SHERWIN WILLIAMS #SW6385 DOVER WHITE, SEMI GLOSS LATEX FINISH. 5. NEW PARTITION WALL IN THIS ROOM SHALL BE PAINTED AND RECEIVE SAME FINISHES AS REQUIRED. 6. EXISTING CEILING TILE PANELS AND GRID TO BE REINSTALLED, REPLACE DAMAGED WITH NEW MATCHING MATERIALS.</div>						



UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
VA MEDICAL CENTER - 1540 SPRING VALLEY DRIVE - HUNTINGTON WV 25704

DRAWING TITLE:
ROOM FINISH &
CASEWORK SCHEDULES

APPROVED:
CHRIS ECKLES
ASST CHIEF, ENGINEERING

PROJECT TITLE:
RENOVATE HISTOLOGY LAB
-

BUILDING:
1S

DATE:
FEB '12

DRAWING NUMBER:
A4
DWG